

**Mecalac**

**RANGE**

GAMME / BAUREIHE/ GAMMA



**RANGE**

GAMME / BAUREIHE/ GAMMA

**Mecalac**

# ZERO EMISSION



e12



eMWR

## CONCEPT



eS1000



## NEW

eS900tele



eMDX

## CONTENTS

|             |    |
|-------------|----|
| ► E12       | 10 |
| ► EMWR      | 11 |
| ► ES1000    | 12 |
| ► ES900TELE | 13 |
| ► EMDX      | 14 |

# EXCAVATORS / PELLE / BAGGER / ESCAVATORI



**NEW**

▶ **12MSX**



**NEW**

▶ **12MTX**



**NEW**

▶ **12MRX**



▶ **7MWR**  
MECALAC  
VERSATILE  
BOOM



▶ **7MWR**  
TWO-PIECE  
BOOM WITH  
OFFSET



▶ **9MWR**



▶ **11MWR**



▶ **15MWR**  
MECALAC  
VERSATILE  
BOOM



▶ **15MWR**  
TWO-PIECE  
BOOM



▶ **15MWR**  
TWO-PIECE  
BOOM WITH  
OFFSET

## CONTENTS

|                |       |
|----------------|-------|
| ▶ <b>12MSX</b> | 15    |
| ▶ <b>12MTX</b> | 16    |
| ▶ <b>12MRX</b> | 17    |
| ▶ <b>7MWR</b>  | 18/19 |
| ▶ <b>9MWR</b>  | 20    |
| ▶ <b>11MWR</b> | 21    |
| ▶ <b>15MWR</b> | 22/24 |

# EXCAVATORS / PELLES / BAGGER / ESCAVATORI



▶ **6MCR**  
MECALAC  
VERSATILE  
BOOM



▶ **6MCR**  
TWO-PIECE  
BOOM WITH  
OFFSET



▶ **8MCR**



▶ **10MCR**



▶ **15MC**  
MECALAC  
VERSATILE  
BOOM



▶ **15MC**  
TWO-PIECE  
BOOM



▶ **15MC**  
TWO-PIECE  
BOOM WITH  
OFFSET

## CONTENTS

|                |       |
|----------------|-------|
| ▶ <b>6MCR</b>  | 25/26 |
| ▶ <b>8MCR</b>  | 27    |
| ▶ <b>10MCR</b> | 28    |
| ▶ <b>15MC</b>  | 29/31 |



# RAIL-ROAD EXCAVATORS / PELLE RAIL-ROUTE / GLEISBAU / ESCAVATORI STRADA-FERROVIA



► 106MRail



► 136MRail



► 156MRail




► 216MRail

## CONTENTS

|            |    |
|------------|----|
| ► 106MRail | 32 |
| ► 136MRail | 33 |
| ► 156MRail | 34 |
| ► 216MRail | 35 |

# LOADERS / CHARGEUSES / RADRADLADER / PALE CARICATRICI



## CONTENTS

|          |    |             |    |
|----------|----|-------------|----|
| ▷ MCL2   | 36 | ▷ AF1200    | 46 |
| ▷ MCL4   | 37 | ▷ AS600     | 47 |
| ▷ MCL4+  | 38 | ▷ AS750     | 48 |
| ▷ MCL6   | 39 | ▷ AS850     | 49 |
| ▷ MCL6+  | 40 | ▷ AS1000    | 50 |
| ▷ MCL8   | 41 | ▷ AS1600    | 51 |
| ▷ AX700  | 42 | ▷ AS210     | 52 |
| ▷ AX850  | 43 | ▷ AS900tele | 53 |
| ▷ AX1000 | 44 | ▷ AT900     | 54 |
| ▷ AF1050 | 45 | ▷ AT1050    | 55 |

# BACKHOE LOADERS / CHARGEUSES-PELLETEUSES / BAGGERADLADER / TERNE



## CENTER MOUNT

▶ TLB830



## SIDESHIFT

▶ TLB870



▶ TLB880



▶ TLB890



▶ TLB990



## SIDESHIFT - ROTATING CAB\*

▶ REVO990



**NEW**

## CONTENTS

### CENTER MOUNT

▶ TLB830 56

### SIDESHIFT

▶ TLB870 57

▶ TLB880 58

▶ TLB890 59

▶ TLB990 60

### SIDESHIFT - ROTATING CAB

▶ REVO990 61

\* Cabine rotative / Drehbare kabine / Cabina girevole

# SITE DUMPERS / MOTOBASCULEURS / BAUSTELLENKIPPER / DUMPER



## TA

TA1EH



TA2SH / TA2SEH



TA3H / TA3SH



TA3.5SH



TA6H / TA6SH



TA9H



## MDX CAB

3.5MDX



6MDX



9MDX



## REVOTRUCK

REVOTRUCK 6



REVOTRUCK 9



## CONTENTS

### TA

|                  |    |
|------------------|----|
| ▶ TA1EH          | 62 |
| ▶ TA2SH / TA2SEH | 63 |
| ▶ TA3H / TA3SH   | 64 |
| ▶ TA3.5SH        | 65 |
| ▶ TA6H / TA6SH   | 66 |
| ▶ TA9H           | 67 |

### MDX CAB

|          |    |
|----------|----|
| ▶ 3.5MDX | 68 |
| ▶ 6MDX   | 69 |
| ▶ 9MDX   | 70 |

### REVOTRUCK

|               |    |
|---------------|----|
| ▶ REVOTRUCK 6 | 71 |
| ▶ REVOTRUCK 9 | 71 |

# COMPACTION ROLLERS / COMPACTEURS À ROULEAUX / VERDICHTUNGSGERÄTE / RULLI COMPATTATORI



MBR71



## CONTENTS

► MBR71

72

**E12**



kg

**11300**

(24,900 lbs)



kW.h

**150**



km/h

**25**

(15.5 mph)



**2710**

(8'10")



daN

**6150**

(13.825 lbf)



daN


**3400**

(7.640 lbf)




**7125**

(23'5")



**-4100**

(-13'5")



**+6100**

(+20')

AUTONOMY - CHARGE

Indicative values depending on application type and subject to environmental conditions / Valeurs indicatives sujettes au type d'utilisation et conditions d'environnement / Richtwert, abhängig von der Einsatzweise und den Umgebungsbedingungen / Valori indicativi soggetti al tipo di utilizzo e alle condizioni ambientali

RANGE / GAMME / BAUREIHE / GAMMA

# EMWR CONCEPT



**9750**

(21,495 lbs)



**75**



**20\*\*/25**

(12.4\*\* / 15.5 mph)



**2866**

(9'40")




**2700**

(6,070 lbf)



**5100**

(11,465 lbf)




**6220**

(20'4")



**-3030**

(-9'9")



**+5500**

(+18")









## AUTONOMY - CHARGE

Indicative values depending on application type and subject to environmental conditions / Valeurs indicatives sujettes au type d'utilisation et conditions d'environnement / Richtwert, abhängig von der Einsatzweise und den Umgebungsbedingungen / Valori indicativi soggetti al tipo di utilizzo e alle condizioni ambientali

\* Avec 1h de charge dans la journée / Mit 1 std. Ladezeit während des Tages / Con 1 ora di ricarica durante il giorno - \*\* Option /optional / opzione

# es1000



|                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| kg                                                                                | kW.h                                                                              | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| 7430<br>(16,380 lbs)                                                              | 75                                                                                | 20*/25<br>(12.4** / 15.5 mph)                                                     | 5690<br>(18'8")                                                                    | 2100<br>(6'10")                                                                     | 2830<br>(9'3")                                                                      | +2650<br>(+8'8")                                                                    | 1.0<br>(1.3 yd <sup>3</sup> )                                                       |



AUTONOMY - CHARGE  
 Indicative values depending on application type and subject to environmental conditions / Valeurs indicatives sujettes au type d'utilisation et conditions d'environnement /  
 Richtwert, abhängig von der Einsatzweise und den Umgebungsbedingungen / Valori indicativi soggetti al tipo di utilizzo e alle condizioni ambientali



# **ES900TELE** **NEW**



**7580**  
(16,711 lbs)



**75**



**20\*/25**  
(12.4\*\* / 15.5 mph)



**6270**  
(20'6")



**2060**  
(6'7")



**2910**  
(9'6")



**+4490**  
(+14'7")



**0.9**  
(1.2 yd³)










## AUTONOMY - CHARGE

Indicative values depending on application type and subject to environmental conditions / Valeurs indicatives sujettes au type d'utilisation et conditions d'environnement / Richtwert, abhängig von der Einsatzweise und den Umgebungsbedingungen / Valori indicativi soggetti al tipo di utilizzo e alle condizioni ambientali

\* Option / optional / opzione

# EMDX



| <br>kg | <br>kW.h | <br>km/h | <br>mm | <br>mm | <br>kg | <br>mm |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <b>6000</b><br>(13,228 lbs)                                                             | <b>75</b>                                                                                 | <b>20</b><br>(12 mph)                                                                       | <b>2211</b><br>(7'2")                                                                     | <b>4711</b><br>(15'5")                                                                    | <b>6000</b><br>(13,230 lbs)                                                               | <b>2875</b><br>(9'4")                                                                     |



AUTONOMY - CHARGE

Indicative values depending on application type and subject to environmental conditions / Valeurs indicatives sujettes au type d'utilisation et conditions d'environnement / Richtwert, abhängig von der Einsatzweise und den Umgebungsbedingungen / Valori indicativi soggetti al tipo di utilizzo e alle condizioni ambientali

RANGE / GAMME / BAUREIHE / GAMMA

# 12MSX NEW



kg

**9600-10600**

(21,164-23,369 lbs)



kW

**55**

(75 hp /  
74.4 imperial hp)



km/h

**25**

(15.5 mph)



**2710**

(8'10")



daN

**5550**

(12,475 lbf)



daN


**3000**

(6,740 lbf)




**7125**

(23'5")



**-4100**

(-13'5")



**+6100**

(+20')

# 12MTX NEW



kg

**9700-10800**

(21,385-23,81 lbs)



kW

**85**

(115 hp /  
114 imperial hp)



km/h

**32**

(20 mph)



**2710**

(8'10")



daN

**6150**

(13,825 lbf)



daN


**3400**

(7,640 lbf)




**7125**

(23'5")



**-4100**

(-13'5")



**+6100**

(+20')

# 12MRX **NEW**



kg

**10400-11200**  
(22,928-24,692 lbs)



kW

**85**  
(115 hp /  
114 imperial hp)



km/h

**40**  
(25 mph)



mm

**2710**  
(8'10")



daN

**6150**  
(13,825 lbf)




daN

**3400**  
(7,640 lbf)




**7125**  
(23'5")



mm

**-4100**  
(-13'5")



mm

**+6100**  
(+20')



## MECALAC VERSATILE BOOM



kg

**6925/  
7350\***

(15,267/16,204\* lbs)



kW

**55.4**

(75 hp /  
74.3 imperial hp)



km/h

**30**

(19 mph)



**2788**

(9'2")



daN

**4050**


(9,100 lbf)



daN


**2400**

(5,400 lbf)




**6220**

(20'5")



**-3030**

(-9'11")



**+4970**

(+16'4")



## OFFSET TWO-PIECE BOOM



kg

**7000/  
7420\***

(15,430/16,360\* lbs)



kW

**55.4**

(75 hp /  
74.3 imperial hp)



km/h

**30**

(19 mph)

mm



**2659**

(8'8")



daN

**4050**


(9,100 lbf)



daN

**3100**

(6,970 lbf)




**6400**

(21'0")



**-3318**

(-10'10")



**+5070**

(+16'7")

\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione



kg

**7900/  
9000\***

(17,416/19,841\* lbs)



kW

**55.4**

(75 hp /  
74.3 imperial hp)



km/h

**20/35**

(12/22 mph)

mm



**2866**

(9'5")



daN

**5100**


(11,460 lbf)



daN

**2700**

(6,070 lbf)




**6700**

(22')



**-3500**

(-11'6")



**+5500**

(+18')





kg

**10000/  
11000\***

(22,050/24,250\* lbs)



kW

**55.4**

(75 hp /  
74.3 imperial hp)



km/h

**20/30**

(12/19 mph)



**3296**

(10'8")



daN

**6500**


(14,600 lbf)



daN

**3300**

(7,400 lbf)




**7500**

(24'7")



**-3800**

(-12'6")



**+6200**

(+20'4")

# 15MWR

## MECALAC VERSATILE BOOM



kg

**14200/  
15300\***

(31,305/33,730\* lbs)



kW

**100**

(136 hp /  
134 imperial hp)



km/h

**35**

(22 mph)



**3415**

(11'2")



daN

**8170**

(18,365 lbf)



daN


**5500**

(12,365 lbf)



**8300**

(27'3")



**-4550**

(-14'11")



**+6990**

(+22'11")

# 15MWR

## TWO-PIECE BOOM



kg

**14200/  
15300\***

(31,305/33,730\* lbs)



kW

**100**

(136 hp /  
134 imperial hp)



km/h

**35**

(22 mph)



**2990**

9'10"



daN

**8170**

(18,365 lbf)



daN


**6200**

(13,940 lbf)




**8800**

(28'10")



**-4800**

(-15'9")



**+7300**

(+23'17")

\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

# 15MWR

## OFFSET TWO-PIECE BOOM



kg

**14800/  
15500\***

(32,830/34,171\* lbs)



kW

**100**

(136 hp /  
134 imperial hp)



km/h

**35**

(22 mph)



**2990**

(9'10")



daN

**8170**

(18,365 lbf)



daN


**6200**

(13,940 lbf)



**8700**

(28'7")



**-4700**

(-15'5")



**+7200**

(+23'7")



## MECALAC VERSATILE BOOM



kg

**5700/  
6100\***

(12,566/13,450\* lbs)



kW

**55.4**

(75 hp /  
74.3 imperial hp)



km/h

**10**

(6 mph)



**2618**

(8'7")



daN

**4050**


(9,100 lbf)



daN

**2400**

(5,400 lbf)




**6220**

(20'5")



**-3300**

(-10'10")



**+4850**

(+15'11")

\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione



## OFFSET TWO-PIECE BOOM



kg

**5770/  
6170\***

(12,720/13,600\* lbs)



kW

**55.4**

(75 hp /  
74.3 imperial hp)



km/h

**10**

(6 mph)



mm

**2540**

(8'4")



daN

**4050**


(9,100 lbf)



daN

**3100**

(6,970 lbf)



mm


**6400**

(21'0")



**-3380**

(-11'1")



mm

**+4950**

(+16'3")



kg

**7200/  
7600\***

(15,900/16,755\* lbs)



kW

**55.4**

(75 hp /  
74.3 imperial hp)



km/h

**10**

(6 mph)



mm

**2698**

(8'10")



daN

**5100**


(11,460 lbf)



daN

**2700**

(6,070 lbf)



mm

**6750**


(22'1")



mm

**-3700**

(-12'2")










mm




**+5300**

(+17'5")

# 10MCR

|                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
|                                                                                   | kg                                                                                | kW                                                                                  | km/h                                                                                | mm                                                                                  | daN                                                                                 | daN                                                                                 |
|                                                                                   | <b>9400/<br/>10000*</b>                                                           | <b>55.4</b>                                                                         | <b>9</b>                                                                            | <b>3266</b>                                                                         | <b>6500</b>                                                                         | <b>3300</b>                                                                         |
|                                                                                   | (20,723/22,046* lbs)                                                              | (75 hp /<br>74.3 imperial hp)                                                       | (5.6 mph)                                                                           | (10'8")                                                                             | (14,600 lbf)                                                                        | (7,400 lbf)                                                                         |



|                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |
| mm                                                                                  | mm                                                                                  | mm                                                                                  |
| <b>7500</b>                                                                         | <b>-4000</b>                                                                        | <b>+6000</b>                                                                        |
| (24'7")                                                                             | (-13'1")                                                                            | (+19'8")                                                                            |



# 15MC

## MECALAC VERSATILE BOOM



kg

**14780/15230\***

(32,585/33,580\* lbs)



kW

**100**

(136 hp /  
134 imperial hp)



km/h

**6**

(3.7 mph)



**3415**

(11'2")



daN

**8170**


(18,370 lbf)



daN


**5500**

(12,360 lbf)



**8300**

(27'3")



**-4730**

(15'6")



**+6810**

(22'4")

\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

# 15MC

## TWO-PIECE BOOM



kg

**14200/15300\***

(31,305/33,730\* lbs)



kW

**100**

(136 hp /  
134 imperial hp)



km/h

**6**

(3.7 mph)



**2990**

(9'10")



daN

**8170**


(18,370 lbf)



daN


**6200**

(13,940 lbf)



**8800**

(28'10")



**-4980**

(16'4")



**+7120**

(23'4")

# 15MC

## OFFSET TWO-PIECE BOOM



kg

**14850/15500\***  
(32,740/34,170\* lbs)



kW

**100**  
(136 hp /  
134 imperial hp)



km/h

**6**  
(3.7 mph)



mm

**2990**  
(9'10")




daN

**8170**  
(18,370 lbf)




daN

**6200**  
(13,940 lbf)



mm

**8700**  
(28'7")



mm

**-4880**  
(16')



mm

**+7020**  
(23')

\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

**106M**  
R A I L



kg

**9475\***  
(20,889\* lbs)



kW

**55.4**  
(75 hp /  
74.3 imperial hp)



km/h  
on-rail

**0-23\*\***  
(0-14.3\*\* mph)



km/h  
on-ground


**10**  
(6,2 mph)



**3095**  
(10'1")



**2749**  
(9'0.2")



**6750**  
(22'2)





**12830\***  
(28,285\* lbs)



**55.4**  
(75 hp /  
74.3 imperial hp)



**0-20\*\***  
(12.4\*\* mph)




**9**  
(5,6 mph)



**3412**  
(11'2")



**3220**  
(10'7")



**7500**  
(24'7")



\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

\*\* Depending on the national regulation / Selon spécification nationale / Abhängig von der Regelung des Landes / A seconda delle norme nazionali

**156M**  
RAIL



kg

**16360\***  
(36,067\* lbs)



kW

**100**  
(136 hp /  
134 imperial hp)



km/h  
on-rail

**30\*\***  
(18.6\*\* mph)



km/h  
on-ground

**35**  
(21 mph)



**3588**  
(11'9")



**3917**  
(12'10")



**8300**  
(27'3")



**216M**  
RAIL



kg

**20367\***  
(44,901\* lbs)



kW

**100**  
(136 hp /  
134 imperial hp)



km/h  
on rail and  
ground

**30\*\***  
(18.5\*\* mph)



**3765**  
(12'4")



**3768**  
(12'4")



**8906**  
(29'3")



\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

\*\* Depending on the national regulation / Selon spécification nationale / Abhängig von der Regelung des Landes / A seconda delle norme nazionali

# MCL<sup>2</sup>



kg

**1930\***  
(4,255 lbs\*)



kW

**18.4**  
(25 hp /  
24.6 imperial hp)



km/h

**12**  
(7 mph)



mm

**3627**  
(11'10")



mm

**1040**  
(3'4")



mm

**2140**  
(7'0")



mm

**+2008**  
(+6'7")



m<sup>3</sup>

**0.43**  
(0.56 yd<sup>3</sup>)



\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

RANGE / GAMME / BAUREIHE / GAMMA





kg

**2430\***  
(5,357 lbs\*)



kW

**18.4**  
(25 hp /  
24.6 imperial hp)



km/h

**20**  
(12 mph)



mm

**4154**  
(13'7")



mm

**1100**  
(3'7")



mm

**2258**  
(7'4")



mm

**+2170**  
(+7'1")



m³

**0.43**  
(0.56 yd³)



# MCL4+ SHORT BOOM



kg

**2370\***  
(5,225 lbs\*)



kW

**18.4**  
(25 hp /  
24.6 imperial hp)



km/h

**20**  
(12 mph)



mm

**4104**  
(13'5")



mm

**1100**  
(3'7")



mm

**2258**  
(7'4")



mm

**+1800**  
(+5'10")



m³

**0.43**  
(0.56 yd³)



\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione



kg

**2480\***  
(5,467 lbs\*)



kW

**36.4**  
(49.5 hp /  
48.8 imperial hp)



km/h

**20/30\*\***  
(12/19\* mph)



mm

**4279**  
(14'0")



mm

**1100**  
(3'7")



mm

**2258**  
(7'4")



mm

**+2170**  
(+7'1")



m³

**0.43**  
(0.56 yd³)



\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

\*\* Option / optional / opzione

# MCL5+ SHORT BOOM



kg

**2420\***  
(5,335 lbs\*)



kW

**36.4**  
(49.5 hp /  
48.8 imperial hp)



km/h

**20/30\*\***  
(12/19\* mph)



mm

**4230**  
(134'10")



mm

**1100**  
(3'7")



mm

**2258**  
(7'4")



mm

**+1800**  
(+5'10")











m<sup>3</sup>

**0.43**  
(0.56 yd<sup>3</sup>)



\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

\*\* Option /optional / opzione









|                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>2900*</b><br>(6,393 lbs*)                                                      | <b>36.4</b><br>(49.5 hp /<br>48.8 imperial hp)                                    | <b>20/30**</b><br>(12/19* mph)                                                    | <b>4490</b><br>(14'8")                                                             | <b>1330</b><br>(4'4")                                                               | <b>2290</b><br>(7'6")                                                               | <b>+2301</b><br>(+7'6")                                                             | <b>0.50</b><br>(0.65 yd <sup>3</sup> )                                              |



\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

\*\* Option / optional / opzione

# AX 700

|                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>4710</b><br>(10,380 lbs)                                                       | <b>50</b><br>(68 hp /<br>67 imperial hp)                                          | <b>20/30*</b><br>(12/19* mph)                                                     | <b>5285</b><br>(17'4")                                                             | <b>1600</b><br>(5'3")                                                               | <b>2470</b><br>(8'1")                                                               | <b>+2475</b><br><b>+2785*</b><br>(+8'1"/+9'2" *)                                    | <b>0.7 - 1.2</b><br>(0.92 - 1.6 yd <sup>3</sup> )                                   |



# AX 850



kg

**5050**  
(11,133 lbs)



kW

**50**  
(68 hp /  
67 imperial hp)



km/h

**20/30/40\***  
(12/19\*/25\* mph)



mm

**5285**  
(17'4")



mm

**1850**  
(6'1")



mm

**2470**  
(8'1")



mm

**+2475**  
**+2785\***  
(+8'1"/+9'2"\*)











m<sup>3</sup>

**0.85 - 1.5**  
(1.11 - 2 yd<sup>3</sup>)



\* Option /optional / opzione









# AX1000

|                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>5410</b><br>(11,927 lbs)                                                       | <b>55.4</b><br>(75 hp /<br>74.3 imperial hp)                                      | <b>20</b><br><b>30*/40*</b><br>(12/19*/25* mph)                                   | <b>5350</b><br>(17'7")                                                             | <b>1850</b><br>(6'1")                                                               | <b>2440</b><br>(8')                                                                 | <b>+2400</b><br><b>+2710*</b><br>(+7'10"/+8'10")                                    | <b>1 - 1.6</b><br>(1.3 - 2.1 yd <sup>3</sup> )                                      |













# AF 1050

|  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>5800</b><br>(12,786 lbs)                                                       | <b>55.4</b><br>(75 hp /<br>74.3 imperial hp)                                      | <b>20</b><br><b>30/40*</b><br>(12/19*/25* mph)                                    | <b>6030</b><br>(19'9")                                                             | <b>2100</b><br>(6'11")                                                              | <b>2830</b><br>(9'3")                                                               | <b>+2700</b><br>(+8'10")                                                            | <b>1.05 - 1.5</b><br>(1.4 - 2 yd <sup>3</sup> )                                     |



\* Option /optional / opzione

# AF 1200

|                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>6000</b><br>(13,230 lbs)                                                       | <b>55.4</b><br>(75 hp /<br>74.3 imperial hp)                                      | <b>20</b><br><b>30/40*</b><br>(12/19*/25* mph)                                    | <b>6080</b><br>(19'9")                                                             | <b>2100</b><br>(6'11")                                                              | <b>2830</b><br>(9'3")                                                               | <b>+2700</b><br>(+8'10")                                                            | <b>1.2 - 2.0</b><br>(1.6 - 2.6 yd <sup>3</sup> )                                    |



# AS600



kg

**4400**  
(9,700 lbs)



kW

**36.4**  
(49.5 hp /  
48.8 imperial hp)



km/h

**20/30\***  
(12/19\* mph)



mm

**4944**  
(16'2")



mm

**1700**  
(5'6")



mm

**2495**  
(8'2")



mm

**+2600**  
(+8'6")



m³

**0.6**  
(0.78 yd³)



\* Option /optional / opzione

# AS750



kg

**5000**  
(11,023 lbs)



kW

**45**  
(61.1 hp /  
60.3 imperial hp)



km/h

**20/30\***  
(12/19\* mph)



mm

**5010**  
(16'5")



mm

**1860**  
(6'1")



mm

**2495**  
(8'2")



mm

**+2560**  
(+8'5")











m<sup>3</sup>

**0.75**  
(0.98 yd<sup>3</sup>)











# AS850

|  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>6270</b><br>(13,823 lbs)                                                       | <b>55.4</b><br>(75 hp /<br>74.3 imperial hp)                                      | <b>20</b><br><b>30/40*</b><br>(12/19*/25* mph)                                    | <b>5600</b><br>(18'4")                                                             | <b>1950</b><br>(6'4")                                                               | <b>2830</b><br>(9'3")                                                               | <b>+2640</b><br>(+8'7")                                                             | <b>0.85</b><br>(1.1 yd <sup>3</sup> )                                               |











\* Option /optional / opzione

# AS1000

|                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>6640</b><br>(14,639 lbs)                                                       | <b>55.4</b><br>(75 hp /<br>74.3 imperial hp)                                      | <b>20</b><br><b>30/40*</b><br>(12/19*/25* mph)                                    | <b>5600</b><br>(18'4")                                                             | <b>2100</b><br>(6'10")                                                              | <b>2830</b><br>(9'3")                                                               | <b>+2650</b><br>(+8'8")                                                             | <b>1.0</b><br>(1.3 yd <sup>3</sup> )                                                |











# AS1600

|  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>10920</b><br>(24,074 lbs)                                                      | <b>100</b><br>(136 hp /<br>134 imperial hp)                                       | <b>20/40*</b><br>(12/25* mph)                                                     | <b>6580</b><br>(21'7")                                                             | <b>2480</b><br>(8'2")                                                               | <b>3100</b><br>(10'2")                                                              | <b>+3100</b><br>(+10'2")                                                            | <b>1.6 - 2.5</b><br>(2.1 - 3.3 yd <sup>3</sup> )                                    |



\* Option /optional / opzione

# AS 210

|                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>15100</b><br>(33,289 lbs)                                                      | <b>129</b><br>(175 hp /<br>173 imperial hp)                                       | <b>20/35*</b><br>(12/22* mph)                                                     | <b>7285</b><br>(23'10")                                                            | <b>2700</b><br>(8'10")                                                              | <b>3155</b><br>(10'4")                                                              | <b>+3420</b><br>(+11'3")                                                            | <b>2.1 - 3.0</b><br>(3 - 4 yd <sup>3</sup> )                                        |





**AS900**  
TELE



kg

**7250**  
(15,983 lbs)



kW

**55.4**  
(75 hp /  
74.3 imperial hp)



km/h

**20**  
**30/35\***  
(12/19\*/22\* mph)



mm

**6270**  
(20'7")



mm

**2100**  
(6'11")



mm

**2910**  
(9'7")



mm

**+3100**  
**+4100\***  
(+10'2" / +13'5")\*











m³

**0.7 - 1.2**  
(0.92 - 1.6 yd³)











\* Option /optional / opzione

# AT900

|                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>6550</b><br>(14,440 lbs)                                                       | <b>55.4</b><br>(75 hp /<br>74.3 imperial hp)                                      | <b>20</b><br><b>30/40*</b><br>(12/19*/25* mph)                                    | <b>5850</b><br>(19'2")                                                             | <b>2100</b><br>(6'11")                                                              | <b>2910</b><br>(9'7")                                                               | <b>+3200</b><br><b>+4080*</b><br>(+10'6" / +13'5")*                                 | <b>0.9 - 1.5</b><br>(1.2 - 2 yd <sup>3</sup> )                                      |



# AT1050

|  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                 | mm                                                                                  | mm                                                                                  | mm                                                                                  | m <sup>3</sup>                                                                      |
| <b>7150</b><br>(15,763 lbs)                                                       | <b>55.4</b><br>(75 hp /<br>74.3 imperial hp)                                      | <b>20</b><br><b>30/40*</b><br>(12/19/25* mph)                                     | <b>5920</b><br>(19'5")                                                             | <b>2100</b><br>(6'11")                                                              | <b>2910</b><br>(9'7")                                                               | <b>+3170</b><br><b>+4050</b><br>(+10'5" / +13'3")                                   | <b>1.05 - 1.6</b><br>(1.4 - 2.1 yd <sup>3</sup> )                                   |

















\* Option /optional / opzione

# TLB830

## CENTER MOUNT



|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                | mm                                                                                | m³                                                                                | mm                                                                                | daN                                                                                 | daN                                                                                 | mm                                                                                  |
| <b>7425</b><br>(16,369 lbs)                                                       | <b>70</b><br>(95 hp /<br>94 imperial hp)                                          | <b>38</b><br>(24 mph)                                                             | <b>2310</b><br>(7'6")                                                             | <b>3488</b><br>(11'5")                                                            | <b>1.0</b><br>(1.3 yd³)                                                           | <b>+3534</b><br>(+11'7")                                                          | <b>4600</b><br>(10,340 lbf)                                                         | <b>4200</b><br>(9,440 lbf)                                                          | <b>-4411/-5438*</b><br>(-14'5" / -17'10")                                           |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |  |    |  |  |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | mm                                                                                | mm                                                                                  | daN                                                                                 | daN                                                                                 |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | <b>5695/6670*</b><br>(18'8" / 21'10")                                             | <b>+3569/+4168*</b><br>(+11'9" / +13'8")                                            | <b>5400*</b><br>(12,140* lbf)                                                       | <b>3540/2600*</b><br>(7,961/5,845* lbf)                                             |

# TLB870

## SIDESHIFT



**8040**  
(17,725 lbs)



**Stage IIIB/ Stage V - 55.4**  
(75 hp / 74.3 imperial hp)  
**Stage IIIA - 70**  
(95 hp / 94 imperial hp)



**38**  
(24 mph)



**2310**  
(7'6")



**3827**  
(12'7")



**1.0**  
(1.3 yd³)




**+3262**  
(+10'8")



**4600**  
(10,340 lbf)




**4200**  
(9,440 lbf)



**-4401/-5744\***  
(-14'5" / -18'10")




**5725/6995\***  
(18'9" / 22'11")



**+3963/+4939\***  
(+13' / +16'2")



**6870\***  
(13,489 lbf)



**4220/2870\***  
(9,487/6,452 lbf)

\* Depending to configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

# TLB880

## SIDESHIFT



**8060**  
(17,769 lbs)



**Stage V - 74.5**  
(101 hp / 100 imperial hp)  
**Stage IIIA - 70**  
(95 hp / 94 imperial hp)



**40**  
(25 mph)



**2310**  
(7'6")



**3827**  
(12'7")



**1.2**  
(1.6 yd³)




**+3262**  
(+10'8")



**4600**  
(10,340 lbf)



**4200**  
(9,440 lbf)



**-4401/-5744\***  
(-14'5" / -18'10")



**5725/6995\***  
(18'9" / 22'11")



**+3963/+4939\***  
(+13' / +16'2")



**6780\***  
(13,556\* lbf)



**4220/2870\***  
(9,487/6,452\* lbf)

# TLB890

## SIDESHIFT



**8283**  
(18,261 lbs)



**Stage IIIA - 74.5**  
(101 hp / 100 imperial hp)  
**Stage V - 82**  
(110 hp / 109 imperial hp)



**40**  
(25 mph)



**2365**  
(7'9")



**3813**  
(12'6")



**1.2**  
(1.6 yd³)




**+3302**  
(+10'10")



**5110**  
(11,487 lbf)



**5540**  
(12,454 lbf)



**-4493/-5660\***  
(-14'9"/-18'7")



**5879/6959\***  
(19'3"/22'10")



**+3968/+4600\***  
(+13'0"/+15'1")



**6870**  
(15,445 lbf)

















**4110/2900\***  
(9,240/6,519 lbf)

# TLB990

## SIDESHIFT

















|  |                            |  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| kg                                                                                | kW                                                                                                          | km/h                                                                              | mm                                                                                | mm                                                                                | m³                                                                                | mm                                                                                | daN                                                                                 | daN                                                                                 | mm                                                                                  |
| <b>8453</b><br>(18,636 lbs)                                                       | <b>Stage IIIA - 74.5</b><br>(101 hp / 100 imperial hp)<br><b>Stage V - 82</b><br>(110 hp / 109 imperial hp) | <b>40</b><br>(25 mph)                                                             | <b>2365</b><br>(7'9")                                                             | <b>3893</b><br>(12'9")                                                            | <b>1.2</b><br>(1.6 yd³)                                                           | <b>+3350</b><br>(+11'0")                                                          | <b>5110</b><br>(11,487 lbf)                                                         | <b>5540</b><br>(12,454 lbf)                                                         | <b>-4424/-5660*</b><br>(-14'6"/-18'7")                                              |
|                                                                                   |                                                                                                             |                                                                                   |                                                                                   |                                                                                   |                                                                                   |  |   |  |  |
|                                                                                   |                                                                                                             |                                                                                   |                                                                                   |                                                                                   |                                                                                   | mm                                                                                | mm                                                                                  | daN                                                                                 | daN                                                                                 |
|                                                                                   |                                                                                                             |                                                                                   |                                                                                   |                                                                                   |                                                                                   | <b>5868/6959*</b><br>(19'3" / 22'10")                                             | <b>+4036/+4600*</b><br>(13'3"/15'1")                                                | <b>6870</b><br>(15,445 lbf)                                                         | <b>4110/2900*</b><br>(9,240/6,519* lbf)                                             |



# REV990 NEW

## SIDESHIFT – ROTATING CAB



|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| kg                                                                                | kW                                                                                | km/h                                                                              | mm                                                                                | mm                                                                                | m³                                                                                | mm                                                                                | daN                                                                                 | daN                                                                                 | mm                                                                                  |
| <b>8970</b><br>(19,775 lbs)                                                       | <b>Stage V - 82</b><br>(110 hp / 109 imperial hp)                                 | <b>40</b><br>(25 mph)                                                             | <b>2365</b><br>(7'9")                                                             | <b>3893</b><br>(12'9")                                                            | <b>1.2</b><br>(1.6 yd³)                                                           | <b>+3350</b><br>(+11'0")                                                          | <b>5110</b><br>(11,488 lbf)                                                         | <b>5540</b><br>(12,454 lbf)                                                         | <b>-4424/-5660*</b><br>(-14'6"/-18'7")                                              |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |  |   |  |  |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | mm                                                                                | daN                                                                                 | daN                                                                                 |                                                                                     |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | <b>5869/6959*</b><br>(19'3" / 22'10")                                             | <b>+4037/+4680*</b><br>(13'3"/15'4")                                                | <b>6870</b><br>(15,444 lbf)                                                         | <b>4110/2900*</b><br>(9,240/6,519 lbf)                                              |

\* Depending on the configuration / Selon configuration / Abhängig von der Konfiguration / A seconda della configurazione

# TA1EH



HYDROSTATIC



kg



kW



km/h



mm



mm



kg



mm

**TA1EH**

**1375**

(2,031 lbs)

**17.2**

(23 hp / 22 imperial hp)

**12**

(7.5 mph)

**985\*/1100**

(3'3"/3'7")\*

**3006**

(9'10")

**1000**

(2,204 lbs)

**2837**

(9'4")



# TA2<sup>SH</sup> / SEH



| TA2 <sup>SH</sup>  | 2175<br>(4,795 lbs) | 18.5<br>(25 hp / 24 imperial hp) | 18<br>(11.2 mph) | 1473<br>(4'10") | 3606<br>(11'10") | 2000<br>(4,410 lbs) | 2928<br>(9'7") |
|--------------------|---------------------|----------------------------------|------------------|-----------------|------------------|---------------------|----------------|
| TA2 <sup>SEH</sup> | 2295<br>(5,059 lbs) | 18.5<br>(25 hp / 24 imperial hp) | 18<br>(11.2 mph) | 1473<br>(4'10") | 3606<br>(11'10") | 2000<br>(4,410 lbs) | 2928<br>(9'7") |



# TA3<sub>H/SH</sub>



|                         | Weight              | Power                            | Speed             | Wheelbase      | Length           | Capacity            | Height         |
|-------------------------|---------------------|----------------------------------|-------------------|----------------|------------------|---------------------|----------------|
| <b>TA3<sub>H</sub></b>  | 2315<br>(5,104 lbs) | 18.5<br>(25 hp / 24 imperial hp) | 14.8<br>(9.2 mph) | 1957<br>(6'5") | 3744<br>(12'3")  | 3000<br>(6,613 lbs) | 2925<br>(9'7") |
| <b>TA3<sub>SH</sub></b> | 2450<br>(5,401 lbs) | 18.5<br>(25 hp / 24 imperial hp) | 14.8<br>(9.2 mph) | 1846<br>(6'1") | 3930<br>(12'11") | 3000<br>(6,613 lbs) | 2925<br>(9'7") |



# TA3.5<sub>SH</sub>



| TA3.5 <sub>SH</sub> | 2515<br>(5,544 lbs) | 37<br>(50 hp / 49 imperial hp) | 19*<br>(12* mph) | 1846<br>(6'1") | 3930<br>(12'11") | 3500<br>(7,716 lbs) | 2925<br>(9'7") |
|---------------------|---------------------|--------------------------------|------------------|----------------|------------------|---------------------|----------------|
|---------------------|---------------------|--------------------------------|------------------|----------------|------------------|---------------------|----------------|



\* Dependant on standard or high power engine

# TA6<sub>H/SH</sub>



|                   | 4195<br>(9,248 lbs) | 55.4<br>(75 hp / 74.3 imperial hp) | 24<br>(15 mph) | 2300<br>(7'7") | 4388<br>(14'5") | 6000<br>(13,230 lbs) | 3145<br>(10'4") |
|-------------------|---------------------|------------------------------------|----------------|----------------|-----------------|----------------------|-----------------|
| TA6 <sub>H</sub>  |                     |                                    |                |                |                 |                      |                 |
| TA6 <sub>SH</sub> | 4335<br>(9,557 lbs) | 55.4<br>(75 hp / 74.3 imperial hp) | 24<br>(15 mph) | 2211<br>(7'3") | 4648<br>(15'3") | 6000<br>(13,230 lbs) | 3145<br>(10'4") |



# TA9<sub>H</sub>



**TA9<sub>H</sub>**

**4760**  
(10,494 lbs)

**55.4**  
(75 hp / 74.3 imperial hp)

**24**  
(15 mph)

**2389**  
(7'8")

**4510**  
(14'8")

**9000**  
(19,840 lbs)

**3615**  
(11'9")



# E.S.MDX

## CAB



kg

**2915**  
(6,426 lbs)



kW

**37**  
(50 hp / 49 imperial hp)



km/h

**20**  
(12.4 mph)



mm

**1846**  
(6')



mm

**4012**  
(13')



kg

**3500**  
(7,720 lbs)



mm

**2663**  
(8'8")










RANGE / GAMME / BAUREIHE / GAMMA



# EMDX

## CAB



|                                                                                         |                                                                                         |                                                                                             |                                                                                           |                                                                                           |                                                                                           |                                                                                           |
|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <br>kg | <br>kW | <br>km/h | <br>mm | <br>mm | <br>kg | <br>mm |
| <b>4920</b><br>(10,850 lbs)                                                             | <b>55.4</b><br>(75 hp / 74.3 imperial hp)                                               | <b>24</b><br>(15 mph)                                                                       | <b>2211</b><br>(7'2")                                                                     | <b>4711</b><br>(15'5")                                                                    | <b>6000</b><br>(13,230 lbs)                                                               | <b>2875</b><br>(9'4")                                                                     |



# SMDX

## CAB



kg



kW



km/h



mm



mm



kg



mm

**5400**  
(11,900 lbs)

**55.4**  
(75 hp / 74.3 imperial hp)

**24**  
(15 mph)

**2341**  
(7'8")

**4735**  
(15'6")

**9000**  
(19,840 lbs)


**3384**  
(11'10")



RANGE / GAMME / BAUREIHE / GAMMA

# REVOTRUCK

## ROTATING CAB



|             | 6000<br>(13,228 lbs) | 55.4<br>(75 hp / 74.3 imperial hp) | 30<br>(18.6 mph) | 2300<br>(7'7") | 4900<br>(16'1") | 6000<br>(6t - 13,228 lbs) | 2802<br>(9'2") |
|-------------|----------------------|------------------------------------|------------------|----------------|-----------------|---------------------------|----------------|
| REVOTRUCK 6 |                      |                                    |                  |                |                 |                           |                |
| REVOTRUCK 9 | 6000<br>(13,228 lbs) | 55.4<br>(75 hp / 74.3 imperial hp) | 30<br>(18.6 mph) | 2450<br>(8')   | 5273<br>(17'8") | 9000<br>(9t - 19,841 lbs) | 2858<br>(9'5") |



# MBR71



kg



kW



km/h



mm



mm



mm

**513**  
(1,130 lbs)

**7.3**  
(9.8 hp / 8.4 imperial hp)

**4**  
(2.5 mph)

**710**  
(2'3")

**2187**  
(7'2")

**1225**  
(4')



---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



## **GROUPE MECALAC S.A.S.**

2, avenue du Pré de Challes  
Parc des Glaisins – CS 20130  
Annecy-le-Vieux  
FR - 74941 Annecy Cedex  
Tel: +33 (0)4 50 64 01 63

**WWW.MECALAC.COM**

## **MECALAC NORTH AMERICA LLC**

282 Dedham Street, Unit 5  
Norfolk, MA 02056  
UNITED STATES  
Phone: 508-921-3076



Documents and specifications subject to change without notice. Photos are not contractually binding. Machines shown in photos may have equipment additional to or different from what is locally available. To find out the options available in your region, please contact your MECALAC dealer.

2025 MECALAC® All rights reserved

**MK309** 04/25 MECALAC RANGE **Photo credits** Sémaphore, Münchow Industrietotos, Mecalac, Fotolia **Non-binding document**